

Site Location	Site Name	Terminal Location	Paige Configure?	Notes	GID	DID	Terminal Type	Description	Timezone	Terminal IP	UDP Port (Hex)	Group #	Group Description	B-COMM GUI Server IP	Environment (Test/Dev/Prod)
Atlanta, GA	0001 Kell Hall	1st Floor		Building to be demolished	9001		B-Web-9500	Room No. C0104	Eastern	131.96.76.202	7800		Facilities/Auxiliary	168.25.22.117	168.25.22.116
Atlanta, GA	0003 Student Center West	2nd Floor	YES	New Install	9001	1003	B-Web-9500	Room No. TBD	Eastern	131.96.135.83	7800		Student Services/Auxiliary/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0005 Classroom South	1st Floor		Existing ADP Time Clock/Move to Common Area	9001	1004	B-Web-9500	Room No. C0106	Eastern	131.96.75.35	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0007 Langdale Hall	1st Floor		Existing ADP Time Clock	9001	1005	B-Web-9500	Room No. C0102	Eastern	131.96.76.75	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0008 Sports Arena	1st Floor		New Install -included in 2nd order	9001	1006	B-Web-9500	Room No. TBD	Eastern	131.96.76.172	7800		Facilities/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0010 Urban Life Building	1st Floor	YES	New Install	9001	1007	B-Web-9500	Room No. TBD	Eastern	131.96.135.110	7800		Facilities/Student Services/Auxiliary/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0015 College of Education	1st Floor		New Install	9001	1008	B-Web-9500	Room No. TBD	Eastern	131.96.76.157	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0011 Courtland Building	Basement Floor		Will be out of service during bridge construction	9001	1009	B-Web-9500	Room No. C0001	Eastern	131.96.76.117	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0021 Dahlberg Hall	1st Floor		New Install	9001	1010	B-Web-9500	Room No. TBD	Eastern	131.96.76.238	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0022 One Park Place	1st Floor	YES	New Install	9001	1011	B-Web-9500	Room No. TBD	Eastern	131.96.76.249	7800		Human Resources	168.25.22.117	168.25.22.116
Atlanta, GA	0024 Natural Science Center	Basement Floor		Existing ADP Time Clock/Move to First Floor	9001	1012	B-Web-9500	Room No. TBD	Eastern	131.96.77.210	7800		Animals Resources	168.25.22.117	168.25.22.116
Atlanta, GA	0029 Bookstore Building	2nd Floor		Existing ADP Time Clock	9001	1013	B-Web-9500	Room No. C0202	Eastern	131.96.77.115	7800		Auxiliary	168.25.22.117	168.25.22.116
Atlanta, GA	0030 J. Mack Robinson College of Business	1st Floor		New Install	9001	1014	B-Web-9500	Room No. TBD	Eastern	131.96.77.28	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0036 Rialto Center	1st Floor		Existing ADP Time Clock	9001	1015	B-Web-9500	Room No. 120	Eastern	131.96.77.70	7800		Rialto	168.25.22.117	168.25.22.116
Atlanta, GA	0037 Haas-Howell Building	2nd Floor		Existing ADP Time Clock	9001	1016	B-Web-9500	Room No. 224	Eastern	131.96.77.53	7800		Rialto	168.25.22.117	168.25.22.116
Atlanta, GA	0055 Student Center East	1st Floor		Existing ADP Time Clock	9001	1017	B-Web-9500	Room No.	Eastern	131.96.76.94	7800		Student Services	168.25.22.117	168.25.22.116
Atlanta, GA	0055 Student Center East	3rd Floor		Existing ADP Time Clock	9001	1018	B-Web-9500	Room No.	Eastern	131.96.76.93	7800		Student Services	168.25.22.117	168.25.22.116
Atlanta, GA	0058 Student Recreation Center	Basement Floor		Existing ADP Time Clock	9001	1019	B-Web-9500	Room No. 035	Eastern	131.96.77.231	7800		Recreation	168.25.22.117	168.25.22.116
Atlanta, GA	0058 Student Recreation Center	1st Floor		Existing ADP Time Clock	9001	1020	B-Web-9500	Room No. 110	Eastern	131.96.77.232	7800		Recreation	168.25.22.117	168.25.22.116
Atlanta, GA	0059 Aderhold Learning Center	1st Floor		Existing ADP Time Clock	9001	1021	B-Web-9500	Room No. 102	Eastern	131.96.78.133	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0060 University Lofts	1st Floor		Existing ADP Time Clock	9001	1022	B-Web-9500	Room No.	Eastern	131.96.122.40	7800		Housing	168.25.22.117	168.25.22.116
Atlanta, GA	0064 Petit Science Center	1st Floor		Existing ADP Time Clock	9001	1023	B-Web-9500	Room No. 173	Eastern	131.96.37.99	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0064 Petit Science Center	9th Floor		Existing ADP Time Clock	9001	1024	B-Web-9500	Room No. 904	Eastern	131.96.37.2	7800		Animals Resources	168.25.22.117	168.25.22.116
Atlanta, GA	0072 University Commons "Bldg. A"	1st Floor		Existing ADP Time Clock	9001	1025	B-Web-9500	Room No. 112	Eastern	131.96.97.167	7800		Housing	168.25.22.117	168.25.22.116
Atlanta, GA	0072 University Commons "Bldg. C"	1st Floor		New Install -included in 2nd order	9001	1026	B-Web-9500	Room No. TBD	Eastern	131.96.97.166	7800		Housing	168.25.22.117	168.25.22.116
Atlanta, GA	0080 25 Park Place	1st Floor		Existing ADP Time Clock	9001	1027	B-Web-9500	Room No.	Eastern	131.117.17.34	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0083 75 Piedmont Building	1st Floor		Existing ADP Time Clock	9001	1028	B-Web-9500	Room No. C0101	Eastern	131.96.115.21	7800		Facilities /Counseling/Housing/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0084 Patton Hall	1st Floor		Existing ADP Time Clock	9001	1029	B-Web-9500	Room No. C0102	Eastern	131.96.20.85	7800		Housing Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0084 Patton Hall	1st Floor		Existing ADP Time Clock	9001	1030	B-Web-9500	Room No. 147A	Eastern	131.96.20.86	7800		Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0091 Piedmont North Bldg "A"	1st Floor		Existing ADP Time Clock	9001	1031	B-Web-9500	Room No. 199	Eastern	131.96.122.181	7800		Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0092 Piedmont North Bldg "B"	1st Floor		Existing ADP Time Clock	9001	1032	B-Web-9500	Room No. TBD	Eastern	131.96.122.180	7800		Housing	168.25.22.117	168.25.22.116
Atlanta, GA	0092 Piedmont North Bldg "A"	1st Floor		New Install	9001	1033	B-Web-9500	Room No. TBD	Eastern	131.96.122.189	7800		Housing	168.25.22.117	168.25.22.116
Atlanta, GA	0093 College of Law	1st Floor		Existing ADP Time Clock/Move to First Floor	9001	1034	B-Web-9500	Room No. TBD	Eastern	131.96.232.100	7800		Facilities/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0093 College of Law	5th Floor	YES	New Install	9001	1035	B-Web-9500	Room No. TBD	Eastern	131.96.232.111	7800		Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0096 Centennial Hall	1st Floor		New Install	9001	1036	B-Web-9500	Room No. TBD	Eastern	131.96.225.38	7800		Facilities/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0105 Piedmont Central	1st Floor	YES	New Install	9001	1037	B-Web-9500	Room No. TBD	Eastern	131.96.78.111	7800		Housing	168.25.22.117	168.25.22.116
Atlanta, GA	0105 Piedmont Central	1st Floor		Existing ADP Time Clock	9001	1038	B-Web-9500	Room No. TBD	Eastern	131.96.78.105	7800		Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0109 GSU Stadium	Service Level		New Install	9001	1039	B-Web-9500	Room No. TBD	Eastern	131.96.254.184	7800		Facilities/Auxiliary/Dining Services	168.25.22.117	168.25.22.116
Atlanta, GA	0109 GSU Stadium	1st Floor		New Install	9001	1040	B-Web-9500	Room No. TBD	Eastern	131.96.254.185	7800		Facilities/Auxiliary/Dining Services	168.25.22.117	168.25.22.116
Alpharetta, GA	A002 Alpharetta Campus "Bldg AB"	1st Floor		Existing ADP Time Clock/Move to Common Area	9001	1041	B-Web-9500	Room No. 121	Eastern	131.96.77.138	7800		Facilities	168.25.22.117	168.25.22.116
Alpharetta, GA	A002 Alpharetta Campus "Bldg AA"	1st Floor	YES	New Install -included in 2nd order	9001	1042	B-Web-9500	Room No.	Eastern	168.28.193.158	7800		Facilities	168.25.22.117	168.25.22.116
Clarkston, GA	C007 Clarkston Campus "Bldg CG"	1st Floor		Existing ADP Time Clock	9001	1043	B-Web-9500	Room No.	Eastern	168.28.193.110	7800		Recreation	168.25.22.117	168.25.22.116
Clarkston, GA	C012 Clarkston Campus "Bldg CM"	1st Floor		Existing ADP Time Clock	9001	1044	B-Web-9500	Room No.	Eastern	168.28.193.114	7800		Facilities	168.25.22.117	168.25.22.116
Clarkston, GA	C013 Clarkston Campus "Bldg CN"	1st Floor		Existing ADP Time Clock	9001	1045	B-Web-9500	Room No.	Eastern	168.28.193.111	7800		Facilities	168.25.22.117	168.25.22.116
Clarkston, GA	C013 Clarkston Campus "Bldg CE"	1st Floor		New Install -included in 2nd order	9001	1046	B-Web-9500	Room No.	Eastern	168.28.193.131	7800		Facilities	168.25.22.117	168.25.22.116
Clarkston, GA	C013 Clarkston Campus "Bldg CF"	1st Floor	YES	New Install -included in 2nd order	9001	1047	B-Web-9500	Room No.	Eastern	168.28.193.132	7800		Facilities	168.25.22.117	168.25.22.116
Clarkston, GA	C013 Clarkston Campus "Bldg CI"	1st Floor		New Install -included in 2nd order	9001	1048	B-Web-9500	Room No.	Eastern	168.28.193.133	7800		Facilities	168.25.22.117	168.25.22.116
Clarkston, GA	C013 Clarkston Campus "Bldg CS"	1st Floor		New Install -included in 2nd order	9001	1049	B-Web-9500	Room No.	Eastern	168.28.193.134	7800		Facilities	168.25.22.117	168.25.22.116
Convington, GA	E001 Newton Campus "Bldg 1N"	1st Floor		Existing ADP Time Clock	9001	1050	B-Web-9500	Room No. 1015	Eastern	168.28.193.113	7800		Facilities/Dining Services	168.25.22.117	168.25.22.116
Convington, GA	E001 Newton Campus "Bldg 2N"	1st Floor	YES	New Install -included in 2nd order	9001	1051	B-Web-9500	Room No. TBD	Eastern	168.28.193.163	7800		Facilities	168.25.22.117	168.25.22.116
Stone Mountain, GA	K006 Indian Creek Lodge "Bldg E"	1st Floor		Existing ADP Time Clock	9001	1052	B-Web-9500	Room No.	Eastern	131.96.80.227	7800		Recreation	168.25.22.117	168.25.22.116
Decatur, GA	L001 Language Research Center " Bldg A"	1st Floor		Existing ADP Time Clock	9001	1053	B-Web-9500	Room No.	Eastern	131.96.36.23	7800		Animals Resources	168.25.22.117	168.25.22.116
Dunwoody, GA	N002 Dunwoody Campus " Bldg NB"	1st Floor		Existing ADP Time Clock	9001	1054	B-Web-9500	Room No.	Eastern	168.28.193.109	7800		Facilities	168.25.22.117	168.25.22.116
Dunwoody, GA	N008 Dunwoody Campus " Bldg NN"	1st Floor		Existing ADP Time Clock	9001	1055	B-Web-9500	Room No. 1140	Eastern	168.28.193.115	7800		Facilities	168.25.22.117	168.25.22.116
Dunwoody, GA	N001 Dunwoody Campus " Bldg NA"	1st Floor		New Install -included in 2nd order	9001	1056	B-Web-9500	Room No. TBD	Eastern	168.28.193.135	7800		Facilities	168.25.22.117	168.25.22.116
Dunwoody, GA	N003 Dunwoody Campus " Bldg NC"	1st Floor	YES	New Install -included in 2nd order	9001	1057	B-Web-9500	Room No. TBD	Eastern	168.28.193.136	7800		Facilities	168.25.22.117	168.25.22.116
Dunwoody, GA	N009 Dunwoody Campus " Bldg NT"	1st Floor		New Install -included in 2nd order	9001	1058	B-Web-9500	Room No. TBD	Eastern	168.28.193.137	7800		Facilities	168.25.22.117	168.25.22.116
Decatur, GA	S001 Decatur Campus " Bldg SA"	1st Floor		Existing ADP Time Clock	9001	1059	B-Web-9500	Near Room No. 2500	Eastern	168.28.193.138	7800		Facilities	168.25.22.117	168.25.22.116
Decatur, GA	S004 Decatur Campus " Bldg SD"	1st Floor		Existing ADP Time Clock	9001	1060	B-Web-9500	Room No. 1130	Eastern	168.28.193.116	7800		Facilities	168.25.22.117	168.25.22.116
Decatur, GA	S002 Decatur Campus " Bldg SB"	1st Floor	YES	New Install -included in 2nd order	9001	1061	B-Web-9500	Room No. TBD	Eastern	168.28.193.139	7800		Facilities	168.25.22.117	168.25.22.116
Decatur, GA	S008 Decatur Campus " Bldg SH"	1st Floor		New Install -included in 2nd order	9001	1062	B-Web-9500	Room No. TBD	Eastern	168.28.193.159	7800		Facilities	168.25.22.117	168.25.22.116
Atlanta, GA	0048 Commerce Building Demo unit	11th Floor		Installed Test Demo Unit	9001	1002	B-Web-9500	Room No. 1122	Eastern	131.96.117.120	7800		Test/ Demo Unit/Spare	168.25.22.117	168.25.22.116
TBD	Contingency Time Clock 2			New Install -included in 2nd order	9001	1063	B-Web-9500	Room No. TBD	Eastern	0.0.0.0	7800		Spare	168.25.22.117	168.25.22.116
TBD	Contingency Time Clock 3			New Install -included in 2nd order	9001	1064	B-Web-9500	Room No. TBD	Eastern	0.0.0.0	7800		Spare	168.25.22.117	168.25.22.116
TBD	Contingency Time Clock 4			New Install -included in 2nd order	9001	1065	B-Web-9500	Room No. TBD	Eastern	0.0.0.0	7800				

